


위생안전기준 인증서

- 인증번호 : KCW-2024-0131
- 제조업체명 : 창주영광관업유한공사(에이전트 : (주)영광밴드)
- 대표자 : 홍성조
- 본사 주소 :
- 공장 소재지 : 중국 하북성 창주시 맹촌회족자치현 희망신구
- 제품명 : 강제 맞대기 용접식 관이음쇠
- 용도 : ☐ 표층용재료 ☐ 말단급수설비
☐ 급수설비 ☒ 일반수도용자재

「수도법」 제14조제1항 및 「수도용 자재와 제품의 위생안전기준 인증 등에 관한 규칙」 제8조제1항에 따라 위생안전기준 인증서를 발급합니다.

한국물기술인증원장






210mm×297mm[보존용지 120g/㎡]


본

<인증상세사항>




종류·등급	보조구분	호칭	재질	모델명	냉·온수 여부
45°엘보		15A, 20A, 25A, 32A, 40A, 50A, 65A, 80A, 100A, 125A, 150A, 200A, 250A, 300A, 350A, 400A, 450A, 500A, 550A, 600A, 650A, 700A, 750A, 800A, 850A, 900A, 950A, 1000A	- 몸체: 스테인리스	YKSB2	냉온수
90°엘보		15A, 20A, 25A, 32A, 40A, 50A, 65A, 80A, 100A, 125A, 150A, 200A, 250A, 300A, 350A, 400A, 450A, 500A, 550A, 600A, 650A, 700A, 750A, 800A, 850A, 900A, 950A, 1000A	- 몸체: 스테인리스	YKSB1	냉온수
같은 지름의 TEE		15A, 20A, 25A, 32A, 40A, 50A, 65A, 80A, 100A, 125A, 150A, 200A, 250A, 300A, 350A, 400A, 450A, 500A, 550A, 600A, 650A, 700A, 750A, 800A, 850A, 900A, 950A, 1000A	- 몸체: 스테인리스	YKSB4	냉온수



다른 지름의 TEE	20*20*15A, 25*25*20A, 25*25*15A, 32*32*25A, 32*32*20A, 32*32*15A, 40*40*32A, 40*40*25A, 40*40*20A, 40*40*15A, 50*50*40A, 50*50*32A, 50*50*25A, 50*50*20A, 65*65*50A, 65*65*40A, 65*65*32A, 65*65*25A, 80*80*65A, 80*80*50A, 80*80*40A, 80*80*32A, 90*90*80A, 90*90*65A, 90*90*50A, 90*90*40A, 100*100*90A, 100*100*80A, 100*100*65A, 100*100*50A, 100*100*40A, 125*125*100A, 125*125*90A, 125*125*80A, 125*125*65A, 125*125*50A, 150*150*125A, 150*150*100A, 150*150*90A, 150*150*80A, 150*150*65A, 200*200*150A, 200*200*125A, 200*200*100A, 200*200*90A, 250*250*200A, 250*250*150A, 250*250*125A, 250*250*100A, 300*300*250A, 300*300*200A, 300*300*150A, 300*300*125A, 350*350*300A, 350*350*250A, 350*350*200A, 350*350*150A, 400*400*350A, 400*400*300A, 400*400*250A, 400*400*200A, 400*400*150A, 450*450*400A, 450*450*350A, 450*450*300A,	- 몸체: 스테인리스	YKSB5	냉온수
------------	--	-------------	-------	-----



		450*450*250A, 500*500*450A, 500*500*400A, 500*500*350A, 500*500*300A, 500*500*250A, 500*500*200A, 550*550*500A, 550*550*450A, 550*550*400A, 600*600*550A, 600*600*500A			
--	--	---	--	--	--



리듀서	20*15A, 25*20A, 25*15A, 32*25A, 32*20A, 32*15A, 40*32A, 40*25A, 40*20A, 40*15A, 50*40A, 50*32A, 50*25A, 50*20A, 65*50A, 65*40A, 65*32A, 65*25A, 80*65A, 80*50A, 80*40A, 80*32A, 90*80A, 90*65A, 90*50A, 90*40A, 90*32A, 100*90A, 100*80A, 100*65A, 100*50A, 100*40A, 125*100A, 125*90A, 125*80A, 125*65A, 125*50A, 150*125A, 150*100A, 150*90A, 150*80A, 150*65A, 200*150A, 200*125A, 200*100A, 200*90A, 250*200A, 250*150A, 250*125A, 250*100A, 300*250A, 300*200A, 300*150A, 300*125A, 350*300A, 350*250A, 350*200A, 350*150A, 400*350A, 400*300A, 400*250A, 400*200A, 450*400A, 450*350A, 450*300A,	- 몸체: 스테인리스	YKSB3	냉온수
-----	--	-------------	-------	-----

